

File ref FTC000030

28 October 2021

Lauren Semple and Rachel Murdoch  
Greenwood Roche  
PO Box 139  
Christchurch 8140

Private Bag 63002  
Wellington 6140, New Zealand

Level 10, Grant Thornton House  
215 Lambton Quay  
Wellington 6011, New Zealand

By email: [Lauren@greenwoodroche.com](mailto:Lauren@greenwoodroche.com) and [rmurdoch@greenwoodroche.com](mailto:rmurdoch@greenwoodroche.com)

[epa.govt.nz](http://epa.govt.nz)  
+64 4 916 2426

Tēnā koe

**Request for information from the Minister of Health and the Ministry of Health in relation to New Dunedin Hospital – Whakatuputupu (FTC000030) under COVID-19 Recovery (Fast-track Consenting) Act 2020**

The New Dunedin Hospital – Whakatuputupu Expert Consenting Panel (the Panel) has directed the Environmental Protection Authority (EPA) to request further information from you under clause 25 of Schedule 6 of the COVID-19 Recovery Act 2020 (the Act), relating to the New Dunedin Hospital – Whakatuputupu consent application.

The EPA is seeking the following information items as outlined in Appendix 1.

The Panel also

In accordance with clause 25 of Schedule 6 of the Act the applicant must

- a) Provide electronic copies of the standards requested; or
- b) Advise the EPA, with reasons that you decline to provide the copies of the standards requested.

Please provide the further information to the EPA by **Monday 8 November 2021**.

If the information requested is not received, the panel must proceed as if the request for further information has been declined.

Please note, the information will be provided to the panel, the applicants and every person who provided comments on the application/notice of requirement. The information will also be made available on the EPA website.

If you have any questions or further queries, please don't hesitate to contact Gen Hewett, Senior Advisor, on 04 474 5523 or by email [gen.hewett@epa.govt.nz](mailto:gen.hewett@epa.govt.nz).

Nāku noā, na

A handwritten signature in black ink, consisting of several overlapping loops and a horizontal stroke extending to the right.

Gen Hewett  
Senior Advisor

## **Appendix 1 List of information requested**

### **Item 1**

The resource consent application includes the application to become a referred project under the COVID-19 Recovery (Fast-track Consenting) Act 2020.

Attachments 1-4 are referred to in the application to become a referred project.

Please provide the Certificates of Titles referred to as Attachment 2 of the Application to become a referred project.

The following information provided in response to Further information request No1 and 2 dated 19 October 2021

### **Item 2**

Confirmation if draft condition 4(c)(i) should refer to 7.30am or 7.30pm

### **Item 3**

In paragraph 7.7(a) define LwA

### **Item 4**

In paragraph 7.9 should figure 4.18 be figure 2.14?

### **Item 5**

In paragraph 9.1(d) was the sensitive equipment being used during the trial.

### **Item 6**

In paragraph 9.3 there needs to be a proposed condition.

### **Item 7**

In figures 1.10 and 1.12 which is number 17 and what is the other receiver?

### **Item 8**

Confirm whether pile driving is to be undertaken using just one pile driving rig at a time or whether more than one rig at a time could be used to shorten the period of pile driving and what the cumulative effect of multiple rigs would be on received sound and vibration.