

File ref FTC000030

15 November 2021

Lauren Semple and Rachel Murdoch
Greenwood Roche
PO Box 139
Christchurch 8140

Private Bag 63002
Wellington 6140, New Zealand

Level 10, Grant Thornton House
215 Lambton Quay
Wellington 6011, New Zealand

By email: Lauren@greenwoodroche.com and rmurdoch@greenwoodroche.com

epa.govt.nz
+64 4 916 2426

Tēnā koe

Request for information from the Minister of Health and the Ministry of Health in relation to New Dunedin Hospital – Whakatuputupu (FTC000030) under COVID-19 Recovery (Fast-track Consenting) Act 2020

The New Dunedin Hospital – Whakatuputupu Expert Consenting Panel (the Panel) has directed the Environmental Protection Authority (EPA) to request further information from you under clause 25 of Schedule 6 of the COVID-19 Recovery Act 2020 (the Act), relating to the New Dunedin Hospital – Whakatuputupu consent application.

The EPA is seeking the following information items as outlined below:

1. DIN4150-3: 2016 – Vibration in buildings – Part 2 Effects on Persons in Buildings
2. BS 5228-2:2009 Code of Practice for Noise and Vibration control on construction and open sites.
3. The Marshall Day Acoustics Report at paragraph 2.2.2 refers to a 16 tonne drop hammer but the Acoustics Engineering Services report at paragraph 3.2.1 refers to a 14 tonne hammer. Please confirm what is proposed to be used.

In accordance with clause 25 of Schedule 6 of the Act the applicant must

- a) Provide electronic copies of the standards requested; or
- b) Advise the EPA, with reasons that you decline to provide the copies of the standards requested.

Please provide the further information to the EPA by **Friday 19 November 2021**.

If the information requested is not received, the panel must proceed as if the request for further information has been declined.

Please note, the information will be provided to the panel, the applicants and every person who provided comments on the application/notice of requirement. The information will also be made available on the EPA website.

If you have any questions or further queries, please don't hesitate to contact Gen Hewett, Senior Advisor, on 04 474 5523 or by email gen.hewett@epa.govt.nz.

Nāku noā, na

A handwritten signature in black ink, consisting of several overlapping loops and a horizontal line extending to the right.

Gen Hewett
Senior Advisor