

NDH Stage 1 Enabling Works – DRAFT ORC Discharge of Soil Contaminants (Dust) to Air Conditions

GENERAL CONDITIONS

Activity in Accordance with Application

1. The enabling works must be undertaken in general accordance with the information provided in the resource consent application dated [insert date], except where modified by the following conditions. If there are any inconsistencies between the application and this consent, the conditions of this consent must prevail.

PRE-COMMENCEMENT CONDITIONS

Construction Management Plan (CMP)

2. A Construction Management Plan (CMP) must be submitted to the Otago Regional Council for approval at least 1 month prior to the enabling works on each site commencing. This plan must include:
 - a) A Ground Contamination Site Management Plan (GCSMP) prepared by a suitably qualified experienced practitioner ~~in general accordance with the~~ comprising either the New Dunedin Hospital Ground Contamination Site Management Plan, Tonkin + Taylor, July 2021, or a GCSMP that gives effect to that plan, and which outlines how soil contamination effects will be managed to ensure effects on human health and the surrounding environment are minimised.¹
 - b) A Dust and Sediment Control Plan (DSCP) prepared by a suitably qualified and experienced practitioner consistent with the GCSMP required by condition 2(a), and which ~~that~~ outlines:
 - i. how dust and sediment will be managed to ensure it does not cause a noxious, dangerous, offensive or objectionable discharge of dust, sediment, or contaminants beyond the site, or into the Council reticulated stormwater network and Te o Arai Te Uru – Otago Coast.²
 - ii. procedures for the receipt, management and response to any complaints received about dust and sediment.³

Notification of Commencement of Work

3. Notice of the commencement date of the enabling works on each site must be provided to the Otago Regional Council, and Aukaha ~~by email to [insert address]~~ at least 5 working days before the works commence.⁴

¹ Aukaha page 5, TRONT, page 8.

² Dunedin City Council, page 51, Aukaha, page 5, and TRONT, page 8.

³ Dunedin City Council, page 51.

⁴ Dunedin City Council, page 53.

DURING PHYSICAL WORKS CONDITIONS

Works in Accordance with Approved CMP

4. The enabling works on each site must be undertaken in accordance with the approved CMP required by condition 2 above for the duration of the works, or any subsequent version of that document provided to and approved by the Otago Regional Council.

Contaminated Soils Management

5. All earthworks involving contaminated soils must [be undertaken in accordance with the approved GCSMP required under condition 2\(a\), and must:](#)⁵
 - a) be undertaken in a way that minimises the potential for effects on human health and the surrounding environment, [including Te Tai o Arai Te Uru – Otago Coast.](#)⁶
 - b) minimise where practicable the area of exposed contaminated soils and avoid the potential for cross-contamination of materials.
 - c) be undertaken in accordance with the directions of a suitably qualified and experienced practitioner.

Erosion and Sediment Control

6. Erosion and sediment controls must be implemented for the duration of the works [in accordance with those in the GCSMP and DSCP required under conditions 2\(a\) and \(b\)](#) to ensure there is no noxious, dangerous, offensive, or objectionable transfer of dust or sediment beyond the boundaries of the site, onto roads, or into the reticulated stormwater network [and Te o Arai Te Uru – Otago Coast.](#)⁷

Complaints Management

7. [Signage outlining the procedures for persons to make any complaint about the enabling works activities must be provided at each construction entrance to the site for the duration of the enabling works.](#)⁸
8. A record of any complaints received must be maintained for the duration of the enabling works. The register must include, but not be limited to:
 - a) the name, phone number, and address of the complainant, unless the complainant elects not to supply this information.
 - b) location, date, and time where the problem was experienced.
 - c) description of the problem experienced.
 - d) for any complaint relating to a discharge of dust or sediment, a description of the weather conditions at the time, including approximate wind speed and direction when the discharge was detected by the complainant.
 - e) likely cause of the problem.

⁵ Dunedin City Council, page 56.

⁶ Aukaha, page 5.

⁷ Dunedin City Council, page 58, Aukaha, page 5, and TRONT, page 8.

⁸ Dunedin City Council, page 59.

f) action taken to avoid, remedy, or mitigate the problem.

The complaints register must be provided to the Otago Regional Council on request.

ADVICE NOTES

- a) The lapse period is 2 years from the date of the commencement of this decision. This may be extended on application to the Council pursuant to Section 125 of the Act.

DRAFT