

NDH Stage 1 Enabling Works – DRAFT ORC Take of Groundwater Conditions

GENERAL CONDITIONS

Activity in Accordance with Application

1. The enabling works must be undertaken in general accordance with the information provided in the resource consent application dated [insert date], except where modified by the following conditions. If there are any inconsistencies between the application and this consent, the conditions of this consent must prevail.

PRE-COMMENCEMENT CONDITIONS

Notification of Commencement of Work

2. Notice of the commencement date of the enabling works on each site must be provided to the Otago Regional Council, and Aukaha ~~by email to [insert address]~~ at least 5 working days before the works commence.¹

DURING PHYSICAL WORKS CONDITIONS

Take of Groundwater

3. Groundwater must be:
 - a) only be taken for dewatering purposes
 - b) taken via wells, or sumps surrounding or within areas to be excavated.
 - c) pumped a depth not exceeding 10 metres below ground level.
 - d) taken at a rate no greater than 57 litres per second (L/s).
4. The rate of groundwater taken for dewatering shall be recorded continuously, and records provided to the Otago Regional Council on request.

ADVICE NOTES

- a) The lapse period is 2 years from the date of the commencement of this decision. This may be extended on application to the Council pursuant to Section 125 of the Act.

¹ Dunedin City Council, page 53.