

File ref: FTC000030 Stage 2

17 June 2022

The Minister of Health and the Ministry of Health
C/o Lauren Semple
Greenwood Roche
PO Box 139
Christchurch 8140
By email: lauren@greenwoodroche.com

Private Bag 63002
Wellington 6140, New Zealand

Level 10, Grant Thornton House
215 Lambton Quay
Wellington 6011, New Zealand

epa.govt.nz
+64 4 916 2426

NZBN: 9429041901977

Dear Lauren

Request for information No 2 from the Minister of Health and the Ministry of Health in relation to the New Dunedin Hospital – Whakatuputupu – Stage 2 Outpatient Building under COVID-19 Recovery (Fast-track Consenting) Act 2020

The New Dunedin Hospital – Whakatuputupu – Stage 2 Outpatient Building Expert Consenting Panel (the Panel) has directed the Environmental Protection Authority (EPA) to request further information from you under clause 25 of Schedule 6 of the COVID-19 Recovery (Fast-track Consenting) Act 2020 (the Act), relating to the New Dunedin Hospital – Whakatuputupu Stage 2 Outpatient Building consent application.

At the direction of the Panel, the EPA is seeking the following information:

Additional Visual Simulation Viewpoint

1. An additional view location and visual simulation to include in the Landscape and Visual Impact Assessment Report which illustrates the view from Cargill Street or Haddon Place (as shown in figures 2 and 3 of Mr McKinlay's assessment in his advice to Dunedin City Council); and
2. An assessment in terms of Assessment Rule 18.9.4.6.b of the 2GP (and associated Objective 18.2.3 and Policy 18.2.3.11.b) on the effects on views across the harbour to Otago Peninsula from the inner city hill suburbs north, west and south-west of the site.

Supply of Information

In accordance with clause 25 of Schedule 6 of the Act the Minister of Health and the Ministry of Health must:

- a) Provide electronic copies (Word and pdf versions) of the information or report requested; or

- b) Advise the EPA, with reasons that you decline to provide the information or report requested.

Please provide the further information to the EPA by **Monday 4 July 2022**.

If the information requested is not received, the Panel must proceed as if the request for further information has been declined.

Please note, the information will be provided to the Panel, the applicant and every person who provided comments on the application. The information will also be made available on the EPA website.

If you have any questions or further queries, please don't hesitate to contact me by email at gen.hewett@epa.govt.nz or by phone on 04 474 5523.

Yours sincerely



Gen Hewett
Senior Advisor