

## June Cahill

---

**From:** Ankit Kishore <Ankit.Kishore@parliament.govt.nz>  
**Sent:** Tuesday, 24 May 2022 5:09 pm  
**To:** Whakatane Fasttrack  
**Subject:** RE: [IN-CONFIDENCE]Fwd: [COR2362] The Whakatāne Commercial Boat Harbour update

**Follow Up Flag:** Follow up  
**Flag Status:** Completed

Kia ora,

The Minister has provided the following comment:

*“The draft conditions don’ t require an adaptive management plan as suggested in my comments of 8 April. I submit that a condition be added requiring the development of an adaptive management plan that is specific to impacts on the site, to manage the adverse effects of water level (tidal and flooding) on the facilities.”*

Thank you,  
Ankit



**Ankit Kishore | Private Secretary - Climate Change**

**Office of Hon James Shaw**

Minister of Climate Change | Associate Minister for the Environment (Biodiversity)

Room 2.026, Parliament House | Private Bag 18041 | Wellington 6160 |

New Zealand

E: [ankit.kishore@parliament.govt.nz](mailto:ankit.kishore@parliament.govt.nz)

Cell: 027 253 2596

---

**From:** Whakatane Fasttrack [<mailto:Whakatane.Fasttrack@epa.govt.nz>]

**Sent:** Tuesday, 10 May 2022 10:40 AM

**To:** Whakatane Fasttrack <[Whakatane.Fasttrack@epa.govt.nz](mailto:Whakatane.Fasttrack@epa.govt.nz)>

**Subject:** [COR2362] The Whakatāne Commercial Boat Harbour update

Tēnā koe

You're receiving this email as you provided comment on the Whakatāne Commercial Boat Harbour under the COVID-19 Recovery (Fast-track Consenting) Act 2020 (the Act).

### Comment on Draft Conditions

The Whakatāne Commercial Boat Harbour Expert Consenting Panel (the Panel) has issued their draft conditions of consent for Whakatane Commercial Boat Harbour. In accordance with clause 36(1) of Schedule 6 of the Act, the Panel now invites you to comment on their draft conditions (attached).

Your comments must be provided to the EPA by **20 May 2022** as outlined in the attached Minute 4 from the panel. You can also view Minute 4 on the EPA website here: [Correspondence to and from the panel | EPA](#)

