



List of animals present in New Zealand

15 June 2022

| Species Name | Taxonomic Authority | Type of Animal | Approval/Reference Number |
|----------------------------------|---------------------------|----------------|---------------------------|
| <i>Abalistes stellaris</i> | (Bloch & Schneider, 1801) | Fish | PNZ1000078 |
| <i>Acanthastrea lordhowensis</i> | Veron & Pichon, 1982 | Coral | BER00001 |
| <i>Acanthis flammea</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Acanthurus glaucopareius</i> | | Fish | BER00001 |
| <i>Acanthurus mauculiceps</i> | | Fish | BER00001 |
| <i>Acanthurus xanthopterus</i> | | Fish | BER00001 |
| <i>Aceria genistae</i> | (Nalepa 1892) | Mite | S2606003 |
| <i>Acreichthys tomentosus</i> | (Linnaeus, 1758) | Fish | PNZ1000078 |
| <i>Actina equina</i> | (Linnaeus, 1758) | Coral | PNZ1000078 |
| <i>Aidemosyne modesta</i> | Gould 1837 | Bird | S2604002 |
| <i>Alectis ciliaris</i> | (Bloch, 1787) | Fish | PNZ1000078 |
| <i>Amadina erythrocephala</i> | Linnaeus 1958 | Bird | S2604002 |
| <i>Amadina fasciata</i> | Gmelin 1789 | Bird | S2604002 |
| <i>Amandava amandava</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Amandava formosa</i> | Latham 1790 | Bird | S2604002 |
| <i>Amandava subflava</i> | Vieillot 1819 | Bird | S2604002 |
| <i>Amblydromalus limonicus</i> | Garman & McGregor | Insect | BER00001 |
| <i>Ambystoma mexicanum</i> | Shaw, 1989 | Amphibian | PNZ1000219 |
| <i>Ancylostoma caninum</i> | (Ercolani, 1859, 1913) | Nematode | PNZ1000180 |
| <i>Apogon maculifera</i> | (Garrett) | Fish | PNZ1000078 |
| <i>Artemia franciscana</i> | (Kellogg 1906) | Shrimp | S2602010 |
| <i>Artemia nyos</i> | | Crustacean | BER00001 |
| <i>Assessor flavissimus</i> | Allen & Kuitert, 1976 | Fish | PNZ1000078 |
| <i>Auripasser luteus</i> | Lichtenstein 1823 | Bird | S2604002 |
| <i>Baryancistrus</i> sp. (L018) | | Fish | BER00001 |
| <i>Baryancistrus</i> sp. (L177) | | Fish | BER00001 |
| <i>Bodianus bimaculatus</i> | | Fish | BER00001 |
| <i>Bombyx mori</i> | Linnaeus, 1758 | Insect | BER00001 |
| <i>Brachionus calyciflorus</i> | Pallas, 1766 | Rotifer | PNZ1000082 |
| <i>Brachionus plicatilis</i> | Mueller, 1786 | Rotifer | PNZ1000082 |
| <i>Brochis britskii</i> | | Fish | BER00001 |
| <i>Caenorhabditis elegans</i> | (Maupas, 1900) | Nematode | APP202172 |
| <i>Capnella imbricata</i> | Quoy and Gaimard (1833) | Coral | S2602009 |

| | | | |
|------------------------------------|---------------------------|--------------|------------|
| <i>Cardinalis cardinalis</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Carduelis carduelis</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Carduelis chioris</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Carduelis cucullata</i> | Swainson 1820 | Bird | S2604002 |
| <i>Carduelis sinica</i> | Linnaeus 1766 | Bird | S2604002 |
| <i>Carduelis spinus</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Carpoglyphus lactis</i> | Robin 1869 | Insect | PNZ1000119 |
| <i>Centropyge colini</i> | | Fish | BER00001 |
| <i>Chaetodon argentatus</i> | Smith and Radcliffe, 1911 | Fish | PNZ1000078 |
| <i>Chaetodon lineolatus</i> | | Fish | BER00001 |
| <i>Chaetodon madagaskariensis</i> | Ahl, 1923 | Fish | PNZ1000078 |
| <i>Chaetodon punctatofasciatus</i> | | Fish | BER00001 |
| <i>Chelmon muelleri</i> | Klunzinger, 1879 | Fish | PNZ1000078 |
| <i>Chlamydosaurus kingii</i> | Gray 1825 | Reptile | PNZ1000099 |
| <i>Chlamydosaurus kingii</i> | | | PNZ1000099 |
| <i>Chloebia gouldiae</i> | Gould 1844 | Bird | S2604002 |
| <i>Chlorurus gibbus</i> | (Rüppell, 1829) | Fish | PNZ1000078 |
| <i>Cimex lectularius</i> | Latreille, 1802 | Insect | PNZ1000227 |
| <i>Cirrhilabrus laboutei</i> | Randall & Lubbock, 1982 | Fish | PNZ1000078 |
| <i>Cirrhilabrus lineatus</i> | Randall & Lubbock, 1982 | Fish | PNZ1000078 |
| <i>Cirrhitichthys aprinus</i> | (Cuvier, 1829) | Fish | PNZ1000078 |
| <i>Cleobora mellyii</i> | | Insect | BER00001 |
| <i>Clitarchus hookeri</i> | (White 1846) | Insect | PNZ1000191 |
| <i>Colossoma bidens</i> | Spix & Agassiz 1829 | Fish | APP203795 |
| <i>Cooperia curticei</i> | | Nematode | BER00001 |
| <i>Cooperia oncophora</i> | | Nematode | BER00001 |
| <i>Cooperia punctata</i> | | Nematode | BER00001 |
| <i>Coscinoptycha improbana</i> | Meyrick 1881 | Insect | PNZ1000072 |
| <i>Crassius auratus</i> | | Fish | BER00001 |
| <i>Crassostrea gigas</i> | Thunberg 1793 | Oyster | BER00001 |
| <i>Cryptolaemus montrouzieri</i> | Mulsant, 1853 | Insect | PNZ1000236 |
| <i>Cucumaria miniata</i> | (Brandt, 1835) | Sea cucumber | PNZ1000078 |
| <i>Cydia pomonella</i> | (Linnaeus 1758) | Insect | PNZ1000242 |
| <i>Diploprion bifasciatum</i> | (Kuhl & Hasselt, 1828) | Fish | PNZ1000078 |
| <i>Ditylenchus dipsaci</i> | (Kühn) | Nematode | PNZ1000184 |
| <i>Drepanacra binocular</i> | | Insect | BER00001 |
| <i>Drosophila funebris</i> | Fabricius 1787 | Insect | PNZ1000238 |
| <i>Drosophila hydei</i> | Sturtevant 1921 | Insect | PNZ1000238 |
| <i>Drosophila melanogaster</i> | Meigen 1830 | Insect | PNZ1000216 |
| <i>Drosophila simulans</i> | Sturtevant 1919 | Insect | PNZ1000238 |
| <i>Echeneis naucrates</i> | Linnaeus, 1758 | Fish | PNZ1000078 |
| <i>Egernia cunninghami</i> | Gray 1832 | Reptile | PNZ1000099 |
| <i>Egernia cunninghami</i> | | | PNZ1000099 |
| <i>Emberiza citrinella</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Emblema picta</i> | Gould 1842 | Bird | S2604002 |
| <i>Encarsia formosa</i> | (Gahan 1924) | Insect | PNZ1000264 |

| | | | |
|--|---------------------------------|----------|------------|
| <i>Eretmochelys imbricata</i> | L. 1766 | Reptile | PNZ1000150 |
| <i>Eretmochelys imbricata</i> | | | PNZ1000150 |
| <i>Erythrura hyperythra</i> | Reichenbach 1863 | Bird | S2604002 |
| <i>Erythrura pealii</i> | Hartlaub 1852 | Bird | S2604002 |
| <i>Erythrura prasina</i> | Sparrman 1788 | Bird | S2604002 |
| <i>Erythrura psittacea</i> | Gmelin 1789 | Bird | S2604002 |
| <i>Erythrura trichroa</i> | Kittlitz 1835 | Bird | S2604002 |
| <i>Erythrura tricolor</i> | Vieillot 1817 | Bird | S2604002 |
| <i>Estrilda astrild</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Estrilda caeruleus</i> | Vieillot 1817 | Bird | S2604002 |
| <i>Estrilda erythronotos</i> | Vieillot 1817 | Bird | S2604002 |
| <i>Estrilda melanotis</i> | Temminck 1823 | Bird | S2604002 |
| <i>Estrilda melpoda</i> | Vieillot 1817 | Bird | S2604002 |
| <i>Estrilda troglodytes</i> | Lichtenstein 1823 | Bird | S2604002 |
| <i>Eublepharis macularius</i> | Blyth 1854 | Reptile | PNZ1000099 |
| <i>Eublepharis macularius</i> | | | PNZ1000099 |
| <i>Eudyptes chrysocome</i> | (Forster 1781) | Bird | PNZ1000207 |
| <i>Eudyptes chrysocome filholi</i> | Hutton 1878 | Bird | PNZ1000207 |
| <i>Euplectes axillaris</i> | Smith 1838 | Bird | S2604002 |
| <i>Euplectes orix</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Euschistospiza dybowskii</i> | Oustalet 1892 | Bird | S2604002 |
| <i>Foudia madagascariensis</i> | Linnaeus 1766 | Bird | S2604002 |
| <i>Fringilla coelebs</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Galleria mellonella</i> | Fabricius 1798 | Insect | PNZ1000066 |
| <i>Genicanthus semifasciatus</i> | | Fish | BER00001 |
| <i>Geochelone pardalis</i> | Bell, 1828 | Reptile | PNZ1000052 |
| <i>Geochelone pardalis</i> | | | PNZ1000052 |
| <i>Haemonchus contortus</i> | | Nematode | BER00001 |
| <i>Halichoeres hortulanus</i> | (Lacepède, 1801) | Fish | PNZ1000078 |
| <i>Heligmosomoides polygyrus</i> | | Nematode | BER00001 |
| <i>Hemitaenichthys polylepis</i> | | Fish | BER00001 |
| <i>Heniochus monoceros</i> | | Fish | BER00001 |
| <i>Heteromunia pectoralis</i> | Gould 1841 | Bird | S2604002 |
| <i>Heterorhabditis bacteriophora</i> | Poinar 1976 | Nematode | BER00001 |
| <i>Heterorhabditis zealandica</i> | Poinar 1976 | Nematode | S2601002 |
| <i>Histrio histrio</i> | (Linnaeus, 1758) | Fish | PNZ1000078 |
| <i>Hoplancistrus</i> sp. (L017) | | Fish | BER00001 |
| Huntaway dogs (<i>Canis familiaris</i>) treated with specific AAV2/8 vector constructs | | Dog | APP202122 |
| <i>Hymenolepis diminuta</i> | (Rudolphi 1819) Blanchard, 1891 | Nematode | PNZ1000258 |
| <i>Hypancistrus zebra</i> | Isbrücker & Nijssen, 1991 | Fish | BER00001 |
| <i>Hypargos niveoguttatus</i> | Peters 1868 | Bird | S2604002 |
| <i>Hypoptopoma gulare</i> | | Fish | BER00001 |
| <i>Lagonostica larvata</i> | Ruppell 1840 | Bird | S2604002 |
| <i>Lagonostica rhodopareia</i> | Heuglin 1868 | Bird | S2604002 |
| <i>Lagonosticta senegala</i> | Linnaeus 1766 | Bird | S2604002 |

| | | | |
|---|-----------------------------|----------|------------|
| <i>Lama guanicoe</i> | Muller 1776 | Lama | PNZ1000012 |
| <i>Leiothrix lutea</i> | Scopoli 1786 | Bird | S2604002 |
| <i>Litophyton arboreum</i> | Forsk. (1775) | Coral | S2602009 |
| <i>Lobophytum pauciflorum</i> | Marenzeller (1886) | Coral | S2602009 |
| <i>Lonchura bicolor</i> | Cassin 1852 | Bird | S2604002 |
| <i>Lonchura caniceps</i> | Salvadori 1876 | Bird | S2604002 |
| <i>Lonchura cantans</i> | Gmelin 1789 | Bird | S2604002 |
| <i>Lonchura castaneothorax</i> | Gould 1837 | Bird | S2604002 |
| <i>Lonchura domestica</i> | L. 1758 | Bird | S2604002 |
| <i>Lonchura flaviprymna</i> | Gould 1845 | Bird | S2604002 |
| <i>Lonchura leucogastra</i> | Blyth 1846 | Bird | S2604002 |
| <i>Lonchura maja</i> | Linnaeus 1766 | Bird | S2604002 |
| <i>Lonchura malacca malacca</i> | Linnaeus 1766 | Bird | S2604002 |
| <i>Lonchura punctulata</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Mandingoa nitidula</i> | Hartlaub 1865 | Bird | S2604002 |
| <i>Melichthys niger</i> | (Bloch, 1786) | Fish | PNZ1000078 |
| <i>Meloidogyne fallax</i> | Karssen 1996 | Nematode | PNZ1000129 |
| <i>Mesonauta festivus</i> | | Fish | BER00001 |
| <i>Mustela vison cell line</i> | (Schreber, 1777) | Mustelid | PNZ1000093 |
| <i>Nasonia vitripennis</i> | (Walker, 1836) | Insect | PNZ1000154 |
| <i>Necator americanus</i> | | Nematode | PNZ1000146 |
| <i>Nematodirus spathiger</i> | | Nematode | BER00001 |
| <i>Neochima temporalis</i> | Latham 1801 | Bird | S2604002 |
| <i>Neochmia phaeton</i> | Hombrohn and Jacquinet 1841 | Bird | S2604002 |
| <i>Neochmia ruficauda</i> | Gould 1837 | Bird | S2604002 |
| <i>Nippostrongylus brasiliensis</i> | Roberts 1990 | Nematode | PNZ1000086 |
| <i>Nyctemera amica</i> | White 1841 | Insect | PNZ1000006 |
| <i>Oesophagostomum columbianum</i> | | Nematode | BER00001 |
| <i>Oesophagostomum venulosum</i> | | Nematode | BER00001 |
| <i>Ortygospiza atricollis</i> | Vieillot 1817 | Bird | S2604002 |
| <i>Ostertagia circumcincta</i> | | Nematode | BER00001 |
| <i>Ostertagia ostertagi</i> | | Nematode | BER00001 |
| <i>Ovis aries</i> (sheep) injected with recombinant Adeno-Associated Viral (AAV)-derived non-replicating vectors and constructs | | Sheep | APP202443 |
| <i>Pachyclavularia violacea</i> | | Coral | BER00001 |
| <i>Padda oryzivora</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Paraperca schauinslandii</i> | (Steindachner, 1900) | Fish | PNZ1000078 |
| <i>Paroaria cucullata</i> | Miller 1776 | Bird | S2604002 |
| <i>Pervagor spilosoma</i> | (Lay & Bennett, 1839) | Fish | PNZ1000078 |
| <i>Phasmarhabditis hermaphrodita</i> | (Schneider, 1859) | Nematode | APP202909 |
| <i>Physignathus lesueurii lesueurii</i> | Gray 1831 | Reptile | PNZ1000099 |
| <i>Physignathus lesueurii lesueurii</i> | | | PNZ1000099 |
| <i>Plectranthias inermis</i> | | Fish | BER00001 |
| <i>Pneumolaelaps sp. n.</i> | Brelese, 1920 | Insect | APP202252 |
| <i>Poephia cincta</i> | Gould 1837 | Bird | S2604002 |

| | | | |
|--------------------------------------|--|--------------|------------|
| <i>Poephila acuticauda</i> | Gould 1840 | Bird | S2604002 |
| <i>Poephila acuticauda hecki</i> | Gould 1840 | Bird | S2604002 |
| <i>Poephila personata</i> | Gould 1842 | Bird | S2604002 |
| <i>Pogona barbata</i> | Cuvier 1829 | Reptile | PNZ1000099 |
| <i>Pogona barbata</i> | | | PNZ1000099 |
| <i>Pogona vitticeps</i> | Ahl. 1927 | Reptile | PNZ1000099 |
| <i>Pogona vitticeps</i> | | | PNZ1000099 |
| <i>Pomacanthus zonipectus</i> | | Fish | BER00001 |
| <i>Pratylenchus neglectus</i> | (Rensch, 1924) Filipjev and Schuurmans Stekhoven, 1941 | Nematode | PNZ1000070 |
| <i>Pratylenchus penetrans</i> | (Cobb, 1917) Filipjev and Schuurmans Stekhoven, 1941 | Nematode | PNZ1000070 |
| <i>Pratylenchus thornei</i> | Sher & Allen, 1953 | Nematode | PNZ1000105 |
| <i>Pseudanthias rubrizonatus</i> | (Randall, 1983) | Fish | PNZ1000078 |
| <i>Pseudocolochirus axiologus</i> | (Clark 1914) | Sea cucumber | PNZ1000078 |
| <i>Ptereleotris microleptis</i> | | Fish | BER00001 |
| <i>Pyrrhula pyrrhula</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Pytilia hypogrammica</i> | Sharpe 1870 | Bird | S2604002 |
| <i>Pytilia melba</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Pytilia phoenicoptera</i> | Swainson 1837 | Bird | S2604002 |
| <i>Rhinecanthus verrucosus</i> | (Linnaeus, 1758) | Fish | PNZ1000078 |
| Rock Hopper Penguins | | Bird | PNZ1000240 |
| <i>Sarcophyton ehrenbergi</i> | Marenzeller (1886) | Coral | S2602009 |
| <i>Sarcophyton elegans</i> | | Coral | BER00001 |
| <i>Sarcophyton tenuspiculatum</i> | Thomson and Dean (1931) | Coral | S2602009 |
| <i>Scleromystax barbatus</i> | | Fish | BER00001 |
| <i>Scleropages formosus</i> | Schlegel & Muller 1844) | Fish | S2600008 |
| <i>Scylla serrata</i> | Forsskal 1775 | Crab | BER00001 |
| <i>Serinus canaria</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Serinus leucopygius</i> | Sundevall 1850 | Bird | S2604002 |
| <i>Serinus mozambicus</i> | Muller 1776 | Bird | S2604002 |
| <i>Siganus magnifica</i> | | Fish | BER00001 |
| <i>Sinularia brassica</i> | May (1898) | Coral | S2602009 |
| <i>Sinularia cf. notanda</i> | Tixier-DuVault (1966) | Coral | S2602009 |
| <i>Sinularia dura</i> | Pratt (1903) | Coral | S2602009 |
| <i>Sinularia flexibilis</i> | Quoy and Gaimard (1833) | Coral | S2602009 |
| <i>Sinularia mollis</i> | Koionko (1926) | Coral | S2602009 |
| <i>Spalangia cameroni</i> | Perkins | Insect | PNZ1000106 |
| <i>Spalangia endius</i> | Walker | Insect | PNZ1000106 |
| <i>Sphecophaga vesparum</i> | (Curtis, 1828) | Insect | PNZ1000269 |
| <i>Spinus magellanicus ictericus</i> | Lichtenstein 1823 | Bird | S2604002 |
| <i>Stagonopleura guttata</i> | Shaw 1796 | Bird | S2604002 |
| <i>Steinernema carpocapsae</i> | | Nematode | BER00001 |
| <i>Steinernema feltiae</i> | Filipjev 1934 | Nematode | S2601002 |
| <i>Steinernema glaseri</i> | | Nematode | BER00001 |
| Stick insects | | Insect | PNZ1000247 |
| <i>Tachinaephagus zealandicus</i> | Ashmead 1904 | Insect | PNZ1000154 |

| | | | |
|---------------------------------------|---------------------------|----------|------------|
| <i>Taeniopygia bichenovii</i> | Vigors and Horsfield 1827 | Bird | S2604002 |
| <i>Taeniopygia guttata</i> | Vieillot 1817 | Bird | S2604002 |
| <i>Tetrosomus gibbosus</i> | (Linnaeus, 1758) | Fish | PNZ1000078 |
| <i>Thalassoma amblycephalus</i> | (Bleeker, 1856) | Fish | PNZ1000078 |
| <i>Tiliqua nigrolutea</i> | Quoy & Gaimard | Reptile | PNZ1000099 |
| <i>Tiliqua nigrolutea</i> | | | PNZ1000099 |
| <i>Tiliqua rugosa</i> | Gray 1825 | Reptile | PNZ1000099 |
| <i>Tiliqua rugosa</i> | | | PNZ1000099 |
| <i>Tiliqua scincoides</i> | Gray 1825 | Reptile | PNZ1000099 |
| <i>Tiliqua scincoides</i> | | | PNZ1000099 |
| <i>Tribolium castaneum</i> | Herbst. (Tenebrionidae) | Insect | BER00001 |
| <i>Trichinella spiralis</i> | Owen 1835 | Nematode | PNZ1000163 |
| <i>Trichostrongylus axei</i> | | Nematode | BER00001 |
| <i>Trichostrongylus colubriformis</i> | | Nematode | BER00001 |
| <i>Trichostrongylus vitrinus</i> | | Nematode | BER00001 |
| <i>Trichuris suis</i> | | Nematode | PNZ1000124 |
| <i>Trissolcus basalus</i> | (Wollaston, 1858) | Insect | PNZ1000182 |
| <i>Uraeginthus angolensis</i> | Linnaeus 1758 | Bird | S2604002 |
| <i>Uraeginthus cyanocephalus</i> | Richmond 1897 | Bird | S2604002 |
| <i>Uraeginthus granatina</i> | Linnaeus 1766 | Bird | S2604002 |
| <i>Uraeginthus ianthinogaster</i> | Reichenow 1879 | Bird | S2604002 |
| <i>Vespula germanica</i> | Fabricius, 1793 | Insect | APP203874 |
| <i>Vespula vulgaris</i> | Linnaeus, 1758 | Insect | APP203874 |
| <i>Vidua macroura</i> | Pallas 1764 | Bird | S2604002 |
| <i>Volatinia jacarina</i> | Linnaeus 1766 | Bird | S2604002 |
| <i>Xenia elongata</i> | Lamarck (1816) | Coral | S2602009 |
| <i>Xenia umbellata</i> | Lamarck (1816) | Coral | S2602009 |